



Position	Code	description
1	BR64036058	Lid, white
2	BR64036479	Coffee bean recept., white
3	BR64036032	Distance piece
4	BR64045075	Upper grinding disc
5	BR60028013	Screw 2,2x9,5
6	BR60032006	Screw 2,2x9,5
007A	BR64036002	Ring, yellow
007B	BR64036055	Ring, white
008A	BR64036027	Arresting pin, yellow
008B	BR64036061	Arresting pin, white
9	BR64398071	Coil spring
10	BR64045502	Lower grinding disc
11	BR64045410	Housing, white
12	BR64045016	Time switch
13	BR64036021	Spring clamp ring
14	BR64045023	Knob, white
15	BR64045002	Upper damper
16	BR64045528	MOTOR
17	BR64045003	Lower damper
18	BR64045004	MOUNTING PLATE
19	BR67000239	Screw 2,9x16
20	BR64045051	Base plate, white
21	BR67000672	Rubber foot
22	BR64045045	Mains lead
23	BR67912015	CABLE CLAMP
24	BR60641121	R.F. Choke
26	BR64050257	Wire nut
27	BR60623935	Capacitor 0,068 mF
28	BR64036062	Locking pin, white
29	BR64398022	Coil spring
30	BR64036059	Lid, white
031A	BR64036023	Ground coffee receptacle
031B	BR64398037	Ground coffee receptacle
300	BR64045621	Sealing tape
303	BR60153203	Compression sleeve
304	BR64045407	Fuse cpl.
305	BR60600170	FUSE

---

307	BR64045044	Wiring 80 mm
308	BR64045402	Wiring with terminal 100 mm

---