







Position	Code	description
1=1.1	336D409SD8	Hob top
2=1.2	4116D02	Burner casing
3=1.3	053037	SEAL
4=1.4	040026	Top grate buffer
5=1.5	001221	SCREW
6=1.7	094338	Fixing bracket
7=1.8	094337	Inlet pipe fixing bracket
8=1.9	217541080	Right top grate
9=1.10	217540080	Left top grate
10=1.11	217299	Wok support
11=1.12	029526	Left burner pipe SR
12=1.13	029525	Burner pipe A
13=1.14	029543	Burner pipe TR
14=1.15	029527	Right burner pipe SR
15=1.16	217303	Grate for small pans
16=1.17	10348100X	PLUG
17=1.20	094295	Spacing
18=2.1	218E00H550	KNOB
19=2.2	106207/G25	Tap DIAM 0.27
20=2.2	106208	Tap - diameter 0.34
21=2.2	106221/G25	Tap DIAM 0.65
22=2.3	040064	STOPPER
23=2.4	001090	SCREW
24=2.5	040057	Rubber joint
25=2.7	3426D40G02	4 gas inlet pipe
26=2.10	067008	Elbow
27=2.13	215465	Burner-cupA
28=2.13	215466	Burner-cupSR
29=2.14	068109001	Burner-head A
30=2.14	068110001	Burner-head SR
31=2.15	215469	Burner-cup Triple-ring
32=2.16	216129080	Burner-cap A
33=2.16	216130080	Burner-cap SR
34=2.17	101182	Injector NATURAL GAS Ø 0.85 - A
35=2.17	101260	Injector NATURAL GAS Ø 1.12 - SR
36=2.17	101335	Injector NATURAL GAS Ø 1.60 - TR
37=2.17	101262	Injector ULPG Ø 0.53 - A

NZ, AU DEGH60STX1

38=2.17	101263	Injector ULPG Ø 0.70 - SR
39=2.17	101233	Injector ULPG Ø 0.95 - TR
40=2.20	053024.1	Sealing washer
41=2.21	067026	Conical adaptor